

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title			Description				Recommended Action			
1010	Lossett, Donna	SSC	7/20/2004	Closed	7/20/2004	Medium	RC	Small	4.0	8/6/2004
Customer ID Table Verification for Authorized Program Stock			NSMS was modified to increase the number of Program Stock ownerships per customer id from 5 to 20. The change was needed to allow total utilization fo the NOSC online ordering. NOSC also needs to be changed to check all 20 occurrences now for program stock authorization.			Change the nontraceable program stock issue module and the traceable program stock issue module to check all 20 occurrences of the program stock ownership on the customer ID table in NSMS.				
1009	Lossett, Donna	SSC	6/24/2004	Closed	6/24/2004	Emergency	RC	Small		
NOSC ORDERING ON LINE WITH SAME MULTI LINE NBR AND 2 USERS			We had two different users in NOSC ordering on line and they received the same Multi-line number. They occurred with in two minutes of each other. All the other unique data is separated and correct.			Change the program design so that when a user has saved their data, the source document number and multi-line number are stored as session values. When the user clears and prints, these session values will be released.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title			Description				Recommended Action			
1008	Lossett, Donna	SSC	5/14/2004	Closed	5/14/2004	Medium	RC	Small	4.0	8/6/2004
All QCC values for a trace key need to be displayed.			On many of Stennis' trace keys we store more than one QCC value. But when you review the same trace key QCC in NOSC, only the first one is displayed. All values need to be displayed.			Change the Criteria Code servlet to retrieve and display all QCC values and comments for all trace keys.				
1007	Lossett, Donna	SSC	5/14/2004	Closed	5/14/2004	Low	RC	Small	4.0	8/6/2004
Screens for scans and searches need to be full screens			Due to the number of data elements being displayed on the screens for scans and searches, the screens need to be expanded to allow better viewing of the data. For scans, the screens need to be fully expanded. For searches, the search drop down needs to remain to show which search is currently being used, but, the remainder of the screen needs to be used to display the search results. In all cases, provide the means to return the screen to the normal 'home' format when the user ends these functions.			Manipulate the html frames to accommodate the request.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
1006	Styles-Oscarson, Char	SSC	3/10/2004	Hold	7/2/2004	High	RC	Large		
Development Environment Upgrade		All MSFC Desktop computer PC users are required by NASA Technical Standard 2804G to upgrade their computer systems to Microsoft Windows XP by June 30, 2004. The Office of the CIO strongly recommends that this be completed as soon as possible.				The current development, test, and production environment for NOSC is under Microsoft Windows 2000. The upgrade initiative will be changing the development environment for NOSC, but there are no plans to upgrade the test and production environment because these are supported under a different contract. Under Windows XP, Oracle 8.1.7 will have to be upgraded to Oracle 9i. Upgrades to Entire X Broker, PC Anywhere, Toad, and other applicable development software may be required as well. Resin 2.1.5 will have to be upgraded to 3.0.6 for the new licenses. Backward incompatibilities, if any, will have to be identified and resolved for test and production deployments which may result in requiring Windows XP upgrades for these environments.				
1005	Lossett, Donna	SSC	2/17/2004	Closed	3/11/2004	Low	RC	Small	4.0	8/6/2004
Icon for NOSC Production Web Site		It was requested that icons be provided for the different links on the CDP Homepage. Currently, NOSC does not have one.				Develop icon candidates for SSC and submit them to Donna for concurrence.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
1004	Lossett, Donna	SSC	2/24/2004	Closed	3/11/2004	High	RC	Small	4.0	8/6/2004
Sequence number for Source Document Number	The sequence number in the source document number is set up to continually increment by 1 regardless of the day and will never reset until it reaches 9999. It needs to start at 1 at the beginning of each day's transactions just as it does in NSMS.		For the ordering process, change the auto generation of the sequence number to begin at 1 if the current date of the first source document number of the day is greater than the last date of the last source document number generated in the source document number table.							
1003	Lossett, Donna	SSC	2/24/2004	Closed	3/11/2004	Low	RC	Small	4.0	8/6/2004
Cost information on Nosc Order History	The cost information needs to be added to the Order History query in NOSC.		The cost data field will be calculated by multiplying Price Average by the Quantity Ordered and displayed on the Order History detail screen. The Price Average field will be added to the nosc Order History table and added to the Order History screen as well. When an order is successfully placed, the Price Average data will be inserted into the Order History table along with the other order data to allow it to be available for the history queries.							

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
1002	Lossett, Donna	SSC	2/24/2004	Closed	3/11/2004	High	RC	Large	4.0	8/6/2004
Consumed/Returned radio button on the order screens.		A radio button for Consumed/Returned needs to be added on the order screens for component assets. Only 1 one value can be specified. If an asset is not a component, the radio button does not need to be on the order screens.				A field called REPAIRABLE-CODE from the Catalog file needs to be added to the nightly extract module EDPUCEXS to be loaded into the NOSC database. The order modules will evaluate the value of REPAIRABLE-CODE; and if the value is a 'Y', the radio button will be displayed. When the order is placed, this value must be sent to the mainframe with the other order data so that it can be captured for the issue transactions generated in NSMS.				
1001	Lossett, Donna	SSC	2/24/2004	Closed	3/8/2004	Medium	RC	Small	4.0	8/6/2004
ADD A EDIT ON ON THE FRONT END WHEN CUSTOMERS ARE REQUESTING NON NASA DOMAIN STOCK ITEMS.		SSC HAD TO ADD A EDIT INSIDE THE PRE-ET TO PREVENT NON NASA DOMAINS ISSUES BEING PROCESSED THROUGH NOSC ORDERING ON LINE. THE PROBLEM IS THE CUSTOMER DOES NOT GET THE SITE UNIQUE ERROR UNTIL THE END SUBMIT REQUEST PROCESSES THROUGH THE PRE-ET.				ADD AN EDIT AT THE SELECT TIME				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title			Description				Recommended Action			
1000	Lossett, Donna	SSC	2/24/2004	Closed	3/8/2004	Medium	RC	Large	4.0	8/6/2004
NOSC WILL NOT ALLOW A DUE OUT TO BE CREATED ON A TRACEABLE ASSET.			NOSC ORDERING ON LINE WILL NOT ALLOW A CUSTOMER TO REQUEST QTY GREATER THAN THE ON HAND QTY ON TRACEABLE ASSETS. NSMS WAS MODIFIED TO ALLOW THIS SOME YEARS AGO. NEED THE SAME ABILITY IN NOSC.			MODIFY NOSC TO ALLOW DUE OUT (DOST) TRANSACTION ON TRACEABLE ASSETS				
999	Lossett, Donna	SSC	2/24/2003	Closed	3/8/2004	Medium	RC	X-Large	4.0	8/6/2004
DYNAMIC SEARCH			NEED A OPTIONAL DYNAMIC SEARCH TOOL IN NOSC USING WILD-CARD VALUES IN THE FIELDS SELECTED.			DEVELOP A OPTIONAL DYNAMIC SEARCH TOOL IN NOSC USING WILD-CARDVALUES IN THE FIELDS SELECTED. ON THE SEARCH SCREEN INCLUDE THE FOLLOWING FIELDS: GENERIC NAME TECHNICAL NAME PART NUMBER MANUFACTURER NAME SIZE MAX ALLOWABLE PRESSURE RELATIVE PRESSURE RATE MAX WORK TEMP MIN WORK TEMP BODY END CONNECTIONS END TO END				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title			Description	Recommended Action						
998	Lossett, Donna	SSC	2/17/2004	Closed	3/8/2004	Emergency	RC	Small		
DOST Transactions appearing on ISPR Print Notices			In testing NOSC Ordering on Line for Stennis, we ID'd a problem with Due-Out Stock Transactions (DOST) appearing on the ISPR print notice. I am requesting that this problem be fixed in the Production release before install of 3.9 on February 19, 2004.				It has been identified that the record number reference would need to be fix in the NOSC modules to prevent this from occurring.			
997	Lossett, Donna	SSC	1/13/2004	Closed	3/8/2004	High	RC	Large	4.0	8/6/2004
ADD 3 NEW SEARCHABLE DATA FIELDS			TO ENHANCE THE CATALOG SEARCH ABILITIES ON OVER 9000 COMPONENT TYPE NSNS MAINTAINED IN THE NSMS CATALOG FOR PROPLUSION TEST/ENGINEERING SUPPORT SSC IS REQUESTING THE FOLLOWING 3 NEW CATALOG FILES BE ADDED TO NSMS/NOSC CATALOG: 1) BODY MATERIAL 2) END CONNECTIONS 3) END TO END DIMENSION				IN THE NIGHTLY UPLOADDISPLAY THE 3 NEW FIELDS AND INCORPORATE SEARCH ABILITIES INSIDE NOSC.			

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description						Recommended Action			
996	Lossett, Donna	SSC	10/7/2003	Closed	12/15/2003	High	RC	Large	3.9	
Implement online warehouse stock withdrawal	The following changes are needed to allow SSC to implement the online stock withdrawal capability in NOSC: 1. Allow accounting data to be entered for program stock assets 2. Allow the accounting data to be saved after it has been initially entered during an ordering session 3. Allow the source document number to be saved when doing mutiple issues 4. Allow center messages along with the corresponding return code to be displayed to the web user						- To implement requirements 1 - 3 , change the Java modules used to collect the accounting and source document data for issues. - To implement requirement 4, change the Natural modules for the mainframe interface to retrieve the center-specific error messages generated during the Pre-ET and Post-ET processing so that the messages can be passed back to the NOSC web client.			
995	Lossett, Donna	SSC	8/15/2003	Closed	12/15/2003	Medium	RC	Medium	3.9	
Display of Quality Criteria Code Value	NEED TO ADD THE ACTUAL VALUE (COMMENT) STORED IN THE NSMS QUALITY CODE CRITERIA TABLE INSTEAD OF JUST THE CODE						INCLUDE THE VALUE/COMMENTS OF THE QCC IN THE DISPLAY			

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
994	Leak, Pam	MSFC	6/10/2003	Closed	12/15/2003	High	RC	Medium	3.9	
The online interface with IFM needs 2 additional fields passed for commercial items.		Earmarked funds need to be entered for reimbursable funds for commercial items. NSMS is currently not set up to handle the earmarked funds.				Add the 2 fields to the files (ns-transaction) when issuing/reversing the issues and when processing turn-in for credit/turn-in for credit reversals. Pass the additional fields to IFM in the online interface. Additional editing is required: 1) the fields are not required to be entered 2) if entered, both fields must be entered. 3) if wbs or network/activity are entered, these fields can not be entered. 4) if entered, wbs or network/active can not be entered 5) if entered the last position of the Fund has to be ' R' 6) if the last position of Fund is 'D', the 2 new fields can not be entered.				
993	Lossett, Donna	SSC	8/7/2002	Closed	9/27/2002	High	RC	Small		
NOSC Tasking for SSC Component Image System (CIS)		Propulsion Test Directorate requests online images of catalog items. Modify the NOSC system to display a "View Image" link on the Catalog Asset/Detail page. The link is to be used to connect to an image database at SSC to retrieve and display a picture of the item. The NSN for the asset needs to be used as a parameter for this link.				A button will be generated and placed on the Catalog Asset/Detail page. The button will reference and activate a hyperlink provided by SSC that identifies the URL/website address to navigate to for image access.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
992	Zurkin, Nik	MSFC	7/25/2002	Withdrawn	5/16/2003	High	RC	X-Large		
Centralization of NOSC mainframe software	The NOSC mainframe software currently exists in a distributed environment at All Centers. There is duplication of software and storage requirements. Duplication of personnel resource requirements exists.		Consolidate the NOSC system into a single database that will be used by all centers. The consolidated NOSC should accommodate varying levels of user access to data (data for a specific center, all data for the Agency, and Agency level access to specific data). All reports, adhoc, and input screens will be designed to report data based on the requestor's access privileges.							
991	Lossett, Donna	SSC	4/9/2002	Closed	9/25/2002	Low	RC	Small		
Pagination in NOSC	If the user has scrolled to the bottom of the page, he/she must use the scroll bar to return to the top of the page in order to use the pagination buttons during a scan or search that produces more than 1 page of data. The user needs to be able to use the buttons from the top and bottom of the page.		Make pagination buttons available on the top and bottom of the pages.							

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
990	Kroeger, Pam	MSFC	6/12/2002	New	6/12/2002	High	RC	Medium		
<p>The potential exists for erroneous data (source document number) to be entered by a NOSC user and passed to IFMP.</p>			<p>A NOSC user may enter an IFMP purchase request as the source document number when requesting an item for issue. The format of the IFMP PR number is GE '42nnnnnnnnnnnn'. When the IFMP formatted PR (source document number) is edited in NOSC, NOSC requires no additional accounting data to be entered. Although this is an unlikely condition to occur, it needs to be resolved.</p>			<p>Provide solution to determine when source document number should be sent to IFMP or the additional accounting data should be sent.</p>				
989	Styles-Oscarson, Char	MSFC	5/16/2002	Closed	7/7/2003	High	RC	X-Large	3.8	9/5/2003
<p>NOSC mainframe centralization.</p>			<p>The NOSC mainframe modules reside on each center's mainframe. Therefore, there is duplication of software and storage requirements. Duplication of personnel resource requirements exists.</p>			<p>The NOSC mainframe modules for the extract and real-time interface with NSMS need to be modified to process by each individual center since NSMS will be consolidated into a single database that will be used by all centers.</p>				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
988	Styles-Oscarson, Char	MSFC	5/16/2002	Closed	6/17/2002	High	RC	Medium		
Detail Design, Code, Unit Test, and System Test of the interface with IFM.		Provide the necessary processes for on-line interfacing with IFM.				Make necessary changes to interface with IFM.				

987	Lee, Ron	MSFC	4/2/2002	New	4/2/2002	Low	RC	Small		
Align screen to make the NSN Block more visible.		The NSN block is not easily read on the screen.				Change the screen so the NSN block is easier to read.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
986	Jordan, Danny	MSFC	3/26/2002	Closed	12/15/2003	Low	RC	Medium		
<p>The order information needs to be saved so that when doing multiple orders, the information does not have to be re-keyed each time.</p>		<p>When you get to the order page where you put in all of your information--table code, quantity, etc--and click the order button, then you go back to do your next order, you have to re-enter all your information again.</p>				<p>Retain session order information so it does not have to be entered each time an order is placed.</p>				
985	Lossett, Donna	SSC	5/7/2002	Closed	3/24/2004	Medium	RC	Medium	4.0	8/6/2004
<p>Allow a search and entry of a starting value to be performed on the AKANAME with the displayed results sorted by AKANAME, Generic Name, and Technical Name.</p>		<p>The only way to see AKANAMES is via the Generic Name search with the Generic Name left blank. Then, all AKANAMES are displayed in an unsorted order. This is extremely tedious and time-consuming to try to find a specific AKANAME. Since many users only know the AKANAME and do not know the Generic Name or Technical Name, an improved means of searching and displaying AKANAMES needs to be implemented.</p>				<p>Modify the search capability to allow AKANAME to be searched.</p>				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
984	Leak, Pam	MSFC	4/1/2002	New	12/15/2003	High	RC	Small		
Check the 1324-end date and if it is less than the current date, prevent the issue transaction from being generated..		Supply orders through NOSC should not be processed if the capturing of the asset balances process has not run.				Implement a check to compare the TBL-SITE-PRMTR-1324-END-DATE from the site parameter table (see module NSPTTPRM) with the current date using the NS domain. If the this date is less than the current date, do not create the issue transaction and send a message back to end user.				
983	Lossett, Donna	SSC	1/3/2002	Closed	9/25/2002	High	RC	Small		
Ensure the maximum number of characters are entered for accounting data fields.		Display an error message and force correction of the following accounting fields when the user does not enter the maximum number of chars/digits required: Acct. No. - 10, Unit No. - 4, Contr. Code - 3, Work Order - 10.				Implement as required for the order screens in NOSC.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
982	Lossett, Donna	SSC	1/3/2002	Closed	9/25/2002	None	RC	Small		
Implement program stock authorization edits in NOSC core Natural module used to generate the issue transactions		Authorization for program stock warehouse withdrawals need to be check in the Natural core module just as the edits exist in the Natural core module for program stock quantity requests.				Implement as required.				
981	Vellacott-Ford, Kevin	MSFC	3/12/2002	Closed	9/25/2002	Low	RC	Small		
Headers need to align immediately above Technical Description		The header information for an asset does not appear directly above the technical description. It would be visually helpful if each technical description had its corresponding heading displayed directly above it.				Extract each header and technical description from the group level text fields in order to align each data element as requested.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
980	Lossett, Donna	SSC	3/22/2002	Withdrawn	12/13/2003	High	RC	Medium		
Need multi-line printing capability when ordering through NOSC.		In NSMS core, there is a pop-up window that allows immediate printing of a transaction or saving it for later printing. SSC wants this featured implemented so that when using NOSC they can print a group of orders at one time.				Research this feature to determine how to implement it.				
979	Styles-Oscarson, Char	MSFC	1/29/2002	Closed	3/22/2002	High	RC	Medium		
Expand Internet Browser Accessibility		The current version of NOSC will run properly only on Netscape 6.0 or higher. The standard version of Netscape for MSFC is 4.7. Therefore, MSFC can not use the current version of NOSC because of the browser incapability.				Modify NOSC to allow it to run under Netscape 4.7.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
978	Lossett, Donna	SSC	1/3/2002	Approved	1/10/2002	Low	RC	Small		
Streamline the View Quantity Request process so that only one button must be clicked to perform the quantity request query for program stock.							Implement as requested.			
977	Lossett, Donna	SSC	1/3/2002	Closed	1/10/2002	High	RC	Large		
Changes required for before implementing online warehouse stock withdrawal.			A unique source document number needs to be generated and tracked in NOSC. The format should consist of the literal 'NOSC', today's date in the format of MMDDYY or '010302', plus a 4 digit sequence number.				Implement as required.			

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date	
Title	Description		Recommended Action								
976	Lossett, Donna	SSC	1/3/2002	Closed	1/10/2002	High	RC	Large	Implement the multi-line printing capability in NOSC.		
SSC needs to be able to utilize the NSMS multi-line printing capability when generating orders in NOSC.											
975	Lossett, Donna	SSC	10/5/2001	Closed	9/25/2002	High	RC	X-Large	ADD TO NSMS/NOSC CATALOG SEARCH FIELDS IN COMBINATION WITH GENERIC AND TECHNICAL NAME SEARCHES THE FOLLOWING NEW FIELDS: 1)LAST SERVICE, 2)MAXIMUM ALLOWABLE PRESSURE,3)MAWP UNITS, 4)SIZE, 5)SIZE UNITS, 6)MAXIMUM WORKING TEMPERATURE, 7)MINIMUM WORKING TEMPERATURE, 8)TEMPERATURE UNITS,9)MANUFACTURER (WITH NAME NOT CAGE CODE) 10)SERIAL NUMBER, 11)CALIBRATED ECN *NOTE A SEPARATE E-MAIL DOCUMENT IS BEING SENT TO MSFC PROGRAMMING THAT WILL DESCRIBE EACH FIELD IN MORE DETAIL*		
EXPAND CATALOG SEARCH FIELDS IN BOTH NSMS AND NOSC NASA (STENNIS) PROPLUSION TEST DIVISION IS REQUESTING 11 NEW SEARCH FILES BE ADDED TO THE CATALOG FOR ENHANCEMENT OF NSMS/NOSC AS THE MAIN LOGISTICS SYSTEM. THESE 11 FIELDS ARE NEEDED TO MAKE NSMS/NOSC MORE TECHNICAL, USER FRIENDLY.											

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
974	Lossett, Donna	SSC	8/10/2001	Closed	1/14/2002	High	RC	Medium		
<p>Capture the source document number in NOSC to allow it to be printed on the MRO and Issue Authorization form in NSMS.</p> <p>SSC currently uses the source document number in NSMS as a unique identifier for an issue. In order for SSC to utilize the warehouse stock withdrawal function in NOSC, the system must allow the source document number to be entered and passed to NSMS.</p> <p>Modify the NOSC web front end to capture the source document number and pass it to NSMS. Modify all pertinent Natural modules in NSMS to receive and process the source document number so it will be printed on the MRO form.</p>										
973	Preiss, Vivian	JSC	2/9/2001	Closed	1/14/2002	Medium	RC	X-Large		
<p>Web-enable the NOSC catalog search and warehouse stock withdrawal processes.</p> <p>JSC needs the manual tasks of publishing the NOSC catalog and withdrawing stock from the warehouse automated and made accessible via the web.</p> <p>Re-engineer NOSC from its client-server architecture to a web-based application.</p>										

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title			Description				Recommended Action			
972	Spasyk, Joan	HQ	10/30/2000	Withdrawn	12/31/2000	High	RC	X-Large		
Upgrade Sybase RDBMS to 11.9.2.		All Sybase databases need to be upgraded to the latest version 11.9.2 on AIM4MSFC (NOSC development/test) and AIM2MSFC (NOSC Production) machines.		Upgrade all Sybase databases used for NOSC on AIM4MSFC and AIM2MSFC.						

971	Leak, Pam	MSFC	10/5/2000	Closed	4/15/2002	High	RC	Medium		
Change NOSC code to comply with Natural 3.1.3.		Software upgrade for Natural 3.1.3.		Make necessary changes for 3.1.3. Test NOSC for consistency between Natural 2.2.8 and 3.1.3.						

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
970	Stevens, Mark	MSFC	1/26/2000	Closed	4/1/2002	Low	RC	Small		
DIEC transactions generated by NOSC come up with negative Open Quantity when the number requested is different than the quantity acknowledged. A closed out DIEC can be overwritten and thus have a negative Open Qty.		An original DIEC transaction when received, then an acknowledgement for a quantity different than the quantity requested will have a negative OPEN QTY. An original DIEC can also have a negative OPEN QTY if the DIEC becomes closed, and the vendor sends an acknowledgment different from the original request.				Fix the EDPUPPOAK module, so as to prevent negative Open Qty 's from appearing on the DIEC tx. Also add logic to stop a transaction from overwriting a closed DIEC transaction and thus making the Open Qty negative..				
969	Lossett, Donna	SSC	1/6/2000	Closed	4/1/2002	High	RC	None		
Display of indexes		NOSC does not display all indexes if index description field is blank. Index description field is not a required field in NSMS.				Have NOSC display all indexes when scanning by generic name. Catalog data should be the same from NSMS to the NOSC since this is an image retrieval.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
968	Lossett, Donna	SSC	11/16/1999	New	11/16/1999	High	RC	Small		
Additional display of data needed on the Scan asset screen		Stennis has received numerous complaints from NOSC users that the Technical data is not viewable with the catalog/asset record. This is causing a manual review of each record until the NOSC user finds the correct asset. Stennis stores the detailed data such as size, color etc. of the catalog record on the first line of the technical description.				Add at least the first line of the Technical Description to the scan asset screen. A survey of the other NASA centers using NOSC, might require more data.				
967	Scrivner, Deborah	MSFC	9/10/1999	Closed	12/21/1999	High	RC	Medium		
EDI Online and Batch Receipt Processes		The EDI online and batch receipt processes need to call PRE-ET process for RCEC and DIECA transactions.				Modiy modules EDPURCEC and EDPTRCPT to call the PRE-ET (NSSRUEX1) module.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
966	Absher, Charmaine	MSFC	7/13/1999	Closed	12/21/1999	High	RC	X-Large		
Allow NOSC to process program stock orders at the org/project level.		NSMS CCR 885 requires the separation of organization/project capabilities from bin capabilities for JSC. NOSC needs to be modified to accommodate the design change.				Modify NOSC to allow users to select and order traceable and non-traceable program stock assets at the organization/project level.				

965	Bolander, Norma	MSFC	6/17/1999	Closed	4/1/2002	Medium	RC	Small		
Unable to print orders from NOSC.		Orders cannot be printed from NOSC because the menu that allows the printing is not available in the new release. The menu was there in the prior version.				Enable the menu in the NOSC application.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
964	Mason, Leslie	MSFC	6/16/1999	Closed	12/21/1999	High	DR	Small		
NOSC hangs during unhandled Natural error in NSMS or MARTS.		Two mainframe modules, NSSRUEX1 and NSSRPRET, both use ON ERROR logic to manage Natural errors at various levels that may occur while processing transactions. Sometimes when an error occurs at a certain level, the processing gets 'lost' and cannot recover from the error. Therefore, when this occurs, an error message is not generated and passed back to NOSC. Consequently, this causes NOSC to hang up and sometimes even causes the server to go down.				Clone the modules, NSSRUEX1 and NSSRPRET, and rename them to EDSRUEX1 and EDSRPRET respectively. Modify these new modules to remove the ON ERROR logic. Modify modules EDSRISAA, EDSRTRIS, EDSRVCDB, EDSRVCIP, EDSRVCIS, and EDSRVCJT to use the new modules instead of the former ones.				
959	Absher, Charmaine	MSFC	4/29/1999	Closed	3/13/2000	Emergency	DR	Small		
Incorrect display of assets in NOSC		When using the generic name function in NOSC, the wrong NSN is shown when selecting the asset by index.				Correct the Powerbuilder data window to retrieve the correct NSN for the index of the asset being selected.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
957	Rowell, Steve	MSFC	4/13/1999	Closed	3/13/2000	High	RC	None		
Conversion of NOSOC to a 32 bit Powerbuilder 6.0 Application		NOSOC is currently built as a 16 bit Powerbuilder 5.0.0.4 application. It needs to be rebuilt as a Powerbuilder 6.0 32 bit application.				Convert NOSOC from the 16 bit Powerbuilder 5.0.0.4 version to a 32 bit Powerbuilder 6.0 version.				

949	Zurkin, Nik	MSFC	1/29/1999	Closed	3/21/2000	None	RC	None		
Please conduct a study to determine the feasibility of using the World Wide Web for Cataloging and Ordering Items from NSMS.		Please conduct a study to determine the feasibility of using the World Wide Web for Cataloging and Ordering Items from NSMS.				Please conduct a study to determine the feasibility of using the World Wide Web for Cataloging and Ordering Items from NSMS.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
910	Dunnigan, Pegi	MSFC	1/8/1998	Closed	4/15/2002	Low	RC	Medium		
User ID, Customer No. and Badge No. confusion.		The NOSC logon window requests user id/password. The userid/password is only required when the system is to be used for ordering. It is not required for query only access. This screen is very confusing. Badge Number is requested on the order screen and quantity query screen. This field corresponds to Customer Id in NSMS. This is also confusing. At MFSC Badge Number is used for both fields in NOSC. Can documentation be added to clarify what these fields are and who should use userid?				<ol style="list-style-type: none"> 1. Add a help field to the logon window so that each center can define userid and explain the user of password. 2. On logon window, modify message for clarity and move from bottom of window to more visible place. 3. Change 'Badge Number' to 'Customer Id' on NOSC order and quantity screens. 				
906	Gulley, Yvonne	MSFC	11/14/1997	Withdrawn	5/20/2004	Low	RC	Medium		
NOSC - Display of data is truncated on the Administration Screen. Data is displayed using various fonts throughout the system.		NOSC uses inconsistent Fonts resulting in consistency of data displayed. The Admin Screen also truncates data as a result of using a Font larger than needed to display data correctly.				Modify fonts in the NOSC Screens to display all data correctly and consistently.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
905	Gulley, Yvonne	MSFC	11/14/1997	Closed	4/5/1999	Medium	RC	Large		
NOSC does not allow the ordering or viewing of Traceable Items.		NOSC needs to allow the viewing of items with Trace Data and Quality Sensitive Data. It also needs to allow the ordering of traceable items allowing the selection of Trace and Quality Sensitive Data when non-program stock is desired, but making the selection mandatory when program stock is desired.				Modify NOSC to allow the viewing and ordering of traceable items.				
904	Gulley, Yvonne	MSFC	11/14/1997	Closed	5/20/2004	Medium	RC	Large		
Add processing of Price/Sales Catalog Transaction Set (832) to the EDI process.		Supply Trading Partners need the capability to send Price/Sales Catalog changes to NSMS through the EDI process.				Add processing of EDI 832 transaction to NSMS.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description						Recommended Action			
898	Gulley, Yvonne	MSFC	9/25/1997	Closed	10/30/1997	Medium	RC	Medium	5.1.3	10/31/1997
NOSC Login Id defaults to DDS/WPS userid for centers with DDS/WPS.		Defaulting NOSC login id to DDS/WPS userid prevents the centers with DDS/WPS from using other userids in NOSC. Centers want the capability to use other criteria for NOSC userids, such as NSMS Customer ID.				Remove code in NOSC which defaults to DDS/WPS userid.				
897	Gulley, Yvonne	MSFC	9/18/1997	Closed	4/5/1999	Low	DR	Small		
NOSC Order Status screen contains duplicate status data and missing descriptions.		In NSMS, when a JIT direct order is created (DIED) and cancelled (DIEDA) the correct status data is applied to these transactions. However, when status records are created for NOSC duplicate transactions are generated without descriptions. TT 143923				Modify program EDPUNOSC to correct problem.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
890	Gulley, Yvonne	MSFC	8/18/1997	Closed	4/5/1999	Medium	RC	Large		
Processing Program Stock in NOSC.		<ol style="list-style-type: none"> When more than one asset exists for the same stock number (ie., program and stores), NOSC defaults an order to the first Asset, Stock Status Code, and Stockownership in sequence. Area Code is defaulted to 205 for all orders places in NOSC. Hard-coding exist in the W_About window for the Database location. 		<ol style="list-style-type: none"> In the order process for NOSC, when multiple assets exists allow the user to identify which asset to order. Pass the selected Stock Status Code and Stockownership Code to the mainframe processing. Add Area Code to the Phone number and increase the size of the field passed to the Mainframe. Add a default area code to the NOSC.ini file. Remove the hard-coding database location in the W_About window and pull default from NOSC.INI 						
879	Gulley, Yvonne	MSFC	5/5/1997	Closed	10/30/1997	High	RC	Small	5.1.3	10/31/1997
MSFC has acquired a new trading partner (Tennessee Valley Wholesaler). Need to add and verify process multiple vendors on NSMS.		Need Tennessee Valley Wholesaler added as a new EDI vendor.		Add Tennessee Valley Wholesaler as a Vendor in the Vendor Table. Remove all processing which is hardcoded for a specific vendor and ensure code processing any valid Vendor in the table. Vendor ID = TV and Vendor Name = MSFC805TNVALLEY						

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
876	Gulley, Yvonne	JSC	2/22/1997	Closed	9/29/1997	High	RC	Medium	5.1.2	9/30/1997
Modify Powerbuilder and Mainframe code to include Project/Org for JSC JIT/EDI processing.	Add Project/Org for Program Stock on JIT EDI transactions generated from NOSC. Applies to ISPR transactions. Modify NOSC to correct inconsistency.		<ol style="list-style-type: none"> 1. Add project/org to buffer area passed from server to mainframe (C program - OPENSrv.C). Add indicator to identify bin and/or project/org level. Add to order input screen. No traceable data exist on these assets. Check with JSC to determine what bin is the default, if only available quantity is in transient bin do you release to the user, and what bin do we start with to issue stock. Show project/org quantity on hand on NOSC detail screen. 2. Correct displaying of duplicate data on Scan screen in NOSC. 3. On NOSC detail screen modify title lines to show all three lines. Currently only 2 show. 4. Correct NOSC SCAN sort by part number. 							
874	Gulley, Yvonne	MSFC	4/21/1997	Withdrawn	12/31/1997	Low	RC	Medium		
Power Builder Online Catalog Application program control is not correctly passed to lower level module.	When user is in detail screens control of <enter>, arrows, and other control keys is not on current screens. When these keys are pressed the main screen executes taking the user to another browse or pops up a data entry window.		Correct control problem.							

All CCRs

CCR Report For

NOSC

As of: 11/1/2004

Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description		Recommended Action							
873	Gulley, Yvonne	MSFC	4/11/1997	Closed	12/31/1997	Emergency	DR	Small		
Upload of delivery data from pc to mainframe abended due to invalid edits		Upload of delivery data from pc to mainframe abended due to invalid edits(i.e., date, time were not numeric)				Correct process to accept only numeric data for date and time.				
846	Sumalpong, Renato R	ARC	4/30/1996	Withdrawn	5/20/2004	None	RC	Medium		
Just In Time (JIT) Ordering System		Whenever a JIT item is requested via the ISSUEPRE process, a DOST is created (JIT items will always have a zero on hand balance) and then you have to access the MANCOMDI screen to generate a DUE-IN for it.				When an ISSUEPRE is processed using customer's Job Order (i.e. q0111) which creates a DOST, a corresponding Due-In (DISC, DISF or a new transaction type) should be automatically created with a Carrier Account Job Order (i.e. K0611 which could be defaulted to the due-in.) The Receipt and Release Due Out could be done similar to a direct buy process differing on the JOB ORDERS being received and due-out being releases.				

All CCRs

CCR Report For

NOSC

As of: 11/1/2004
Updated Weekly

CCR #	Initiator	Installation	Initiation Date	Status	Status Date	Priority	Type	Size	Expected Release	Expected Release Date
Title	Description			Recommended Action						
813	Sherman, Karen	LeRC	4/25/1995	Closed	3/8/2004	None	RC	Large	4.4.0	6/30/1995
JIT changes.			Make the following changes to NSMS to facilitate JIT operations:				see box 11			
			1) Create new tx type for JIT orders/receipts							
			2) See Orders by Customer (MONTRANS)							
			3) Be able to identify assets as JIT							